

# How to handle VLANs on an aggregation switch



## Overview

The VLAN aggregation function associates a super-VLAN with multiple sub-VLANs. Interfaces in all the sub-VLANs use this IP address as the gateway address to communicate with. You can configure VLAN aggregation on the switch to isolate VLAN 2 from VLAN 3 at Layer 2 and allow them to communicate at Layer 3. VLAN 2 and VLAN 3 use the same subnet segment, saving IP addresses. The S2700SI and S2710SI do not support VLAN aggregation. The configuration roadmap is as follows: This chapter covers the design recommendations for a data center design deployment consisting of a Cisco Nexus® 7000 Series Switch at the aggregation layer and a Cisco Nexus 5000 Series Switch at the access layer. LAG allows multiple physical links to. The access-vlan command adds one or more sub-VLANs to a super-VLAN. access-vlan { vlan-id1 [ tovlan-id2 ] } <1-10> undo access-vlan { vlan-id1 [ tovlan-id2 ] } <1-10>.

## Article Content

20 Best Network Switches Under \$100 (2026)

Top 20 Network Switches Under \$100 (2026) Below are over 20 gigabit switches under \$100 on Amazon, grouped by feature set so you can jump

VLAN aggregation

A mechanism is described by which hosts that reside in the same physical switched infrastructure, but separate virtual broadcast domains, are addressed from the same IPv4 subnet and

Configuring Link Aggregation, VLAN Trunking & Assigning Multiple VLANs

In this video, I walk you through configuring link aggregation (LAG), setting up a LAG group, and assigning it to a VLAN. We'll explore VLAN modes, particularly trunk ports, and how to assign ...

UniFi Switching

UniFi's Port Manager provides an intuitive way to configure VLANs, PoE settings, and link aggregation—all from a centralized interface. Make quick changes

Example for Configuring VLAN Aggregation

You can configure VLAN aggregation on the switch to isolate VLAN 2 from VLAN 3 at Layer 2 and allow them to communicate at Layer 3. VLAN 2 and VLAN 3 use the same subnet segment, saving IP

Shop Aggregation Switches with Competitive Pricing

Our switches fit seamlessly into various environments—from small businesses requiring L2 aggregation to large enterprises needing L3 solutions with link

VLAN Aggregation Configuration

VLAN aggregation maps each sub-VLAN to a broadcast domain, associates a super-VLAN with multiple sub-VLANs, and assigns only one IP subnet to the super-VLAN. Consequently, the gateway IP

10GbE RJ45 Switch Comparison: Copper Ten Gigabit Switches

Because unmanaged units lack a management plane and VLAN controls, segregation requires a managed switch, router, or end-host VLAN handling. Homelab users needing VLAN isolation should

WORLD WIDE WEB JOURNAL Home

will open to start the export process. The process may take but once it finishes a file will be downloadable from your browser. You may continue to browse the DL while the export process is in

## VLAN Best Practices

When connecting a device to a switch, there is no easy way to know which VLAN has been assigned to the port, or whether the port has been configured to be a VLAN trunk. In most cases, the only way to

### How to Configure Link Aggregation (LAG) and VLANs on PicOS®

Learn how to configure Link Aggregation (LAG) and VLANs on FS PicOS® switches to enhance network performance and segmentation. ...more

### 20 Best Network Switches Under \$100 (2026)

20 Best Network Switches Under \$100 (2026) November 30, 2025 by Hayden James, in Blog General Choosing the right network switch is essential for

### What are Link Aggregation Groups (LAGs) and how do

What are Link Aggregation Groups (LAGs) and how do they work with my managed switch? Link aggregation lets a switch treat multiple physical links

### Using Link Aggregation with Tagged VLANs for a Two

To cause traffic for multiple VLANs to be passed through a single trunk, you must assign the same trunk to each VLAN. In the examples, we create a trunk (trunk1)

### H38DLS | Configuring Aruba OS Switching Level 2

This course teaches you how to implement and operate enterprise-level Aruba Networking campus switching solutions.

### What is a virtual LAN (VLAN) and how does it work with

The following diagram shows a Layer 3 switch with three ports configured to handle the traffic for two VLANs (VLAN 10 and VLAN 20). Ports

### 15 Best Managed Switches With VLAN for 2026 That

Better network performance begins with the right managed switch—discover the top VLAN-enabled models that network pros love for 2026.

### The differences between managed and unmanaged

Managed vs. unmanaged switches: What are the differences? Managed and unmanaged network switches differ in various ways, including

### Data Center Aggregation Layer Design and Configuration with ...

This chapter covers the design recommendations for a data center design deployment consisting of a Cisco Nexus® 7000 Series Switch at the aggregation layer and a Cisco Nexus 5000 Series Switch at

### Configuring VLANs on Cisco Switches

Master configuring VLANs on Cisco switches. Learn to configure Access and Trunk ports, and Native VLANs and Allowed VLAN Lists. Learn to verify with show

### VLAN Aggregation Configuration Commands

Configure the sub-VLANs to implement Layer 2 communication between them. The super-VLAN must be different from all its sub-VLANs. A VLAN can be added to only one super-VLAN. If you run the

### Using Link Aggregation with Tagged VLANs for a One

Overview: Configuring link aggregation using tagged VLANs on one network You can use the BIG-IP ® system in an aggregated two-interface load balancing topology.

### 2 Ethernet Basics — An Introduction to Computer

Suppose you want to develop a new protocol so that Ethernet switches participating in a VLAN all keep track of the VLAN “color” associated with every

### Understanding the Role of an Access Switch in Your

Explore the crucial role of an access switch in your network. Learn how it connects end-users and devices via Ethernet, enhancing overall performance.

### VLAN Aggregation Configuration

VLAN aggregation introduces the concept of sub-VLANs and super-VLANs. A sub-VLAN is an independent broadcast domain that contains only physical interfaces, whereas a super-VLAN

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.buglerdental.co.za>

Email: [sales@buglerdental.co.za](mailto:sales@buglerdental.co.za)

Phone: +27 71 549 2836

Address: 22 Impala Crescent, Waterfall Business Estate, Midrand, 1685, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

