


Kyrgyzstan OEMQSFP28 optical module 200G



Overview

JFOPT 200G QSFP28-DD PSM8 optical transceiver uses 8 channels 1310nm DFB and PIN photo detector array, the transmission distance can be up to 10km by using singlemode optical fiber. WolonFiber manufactures strictly MSA-compliant 100G QSFP28 and 200G QSFP56, QSFP-DD, and heavy-duty CFP2 optical interconnects optimized for ultra-dense Spine-Leaf topologies and long-haul transport. Leveraging advanced PAM4 modulation and proprietary low-power DSP technology, our Wuhan facility. Measured with 25.78125-Gbps of PRBS-31 at 5×10^{-5} BER. The transceiver can be used to offer 200G point-to-point interconnections. They also can be used for high port building practices in 100G switches/routers, thus doubling the port density by using. Custom 200G QSFP28 Optical Transceiver Module manufacturers here! Get best solution on Networking product from benchu-group.

Article Content

Q28DD-200G-2SR4-C Amphenol ProLabs | Fiber Optic Transceiver

Buy now, ships today. Q28DD-200G-2SR4-C - Transceiver Module 850nm MPO-24 Pluggable, QSFP28-DD from Amphenol ProLabs. View datasheets, pricing and availability from DigiKey now!

OEM QSFP28 Modules from ETU-LINK | High-Quality Fiber Optic

For those in need of a dependable OEM QSFP28 module, finding high-quality products from reputable manufacturers is essential. At ETU-Link Technology Co., Ltd., we provide superior QSFP28 modules

200G QSFP28-DD PSM8 10KM Optical Transceiver

JFOPT 200G QSFP28-DD PSM8 optical transceiver uses 8 channels 1310nm DFB and PIN photo detector array, the transmission distance can be up to 10km by using singlemode optical fiber.

OEM 100G QSFP28 & 200G QSFP56, QSFP-DD, CFP2

The 200G QSFP-DD optic, utilizing 8 lanes of 25G NRZ, provides excellent backward compatibility with legacy 100G QSFP28 ports and supports highly complex 8x25G high-density server breakout

200G QSFP28-DD

Explore our 200G QSFP28-DD transceiver modules designed for high-speed data transmission at 2x100Gbps. These compact QSFP28-DD modules support

100G/200G Optical Transceiver Modules

QSFPTEK offers 100G/200G transceivers with QSFP28, CFP/CFP2 form factors, enabling cost-effective, high-density, and low-power 100G/400G Ethernet connectivity solutions for data center,

2x100G QSFP28-DD

The transceiver can be used to offer 200G point-to-point interconnections. They also can be used for high port building practices in 100G switches/routers, thus

200G QSFP28-DD Optical Transceiver Modules

The module converts eight channels of 25Gb/s (NRZ) electrical input data to four channels of LAN-WDM optical signals and multiplexes them into a single channel

OP-QSFP28-DD-SR8 200G QSFP28-DD SR8 Optical Transceiver

Features Up to 25.78Gbps data rate per channel by NRZ modulation Support 200GAUI-8 electrical interface Integrated 850nm VCSEL array and PD array Single MPO16 connector receptacle optical

200G QSFP28 Optical Transceiver Module

200G QSFP-DD Optical Transceiver Module - 200GBASE 2xSR4, 850nm, 100m, MPO-24/UPC, MMF, DOM Support, QDD-200G-SR85-01 Perfect for Data Centers, Enterprise Networks, Service Provider

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.buglerdental.co.za>

Email: sales@buglerdental.co.za

Phone: +27 71 549 2836

Address: 22 Impala Crescent, Waterfall Business Estate, Midrand, 1685, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

