

What to do if the monitoring access switch cannot be found



Overview

Go to the Device Inventory and look at the current "Reachability" & "Manageability" Status. If "Device Unreachable", you can click on the error and it will show you things to look at. This is typically an SNMP issue or one of the Credential issues Error: command failed: IP address "x. SIGN IN New to NetApp?

NetApp provides no representations or warranties regarding the accuracy or reliability or. No error, it's just that the monitoring tool is not able to do snmpwalk on device. - How do you define that statement (and or elaborate) ?

M. 187 but when I ping it or try to scan it with SNMP it doesn't work. What confuses me is that when I scan the network with Advanced IP. Simple Network Management Protocol (SNMP) is a critical tool for network monitoring, device management, and performance tracking. However, SNMP misconfigurations can lead to incorrect data collection, security vulnerabilities, or device inaccessibility, affecting network management efficiency. In most cases, these issues result from a malfunctioning SNMP configuration or installation.

Article Content

Switch monitoring

I found out, that sometimes this issue occurs when using special chars like “!#& ” and others in password of SNMP v3. This depends on the

Cannot reach secondary monitoring IP address for NSa 2650 HA

Cannot reach secondary monitoring IP address for NSa 2650 HA I have allowed "Management on Primary/Secondary IPv4 Address" I can PING and manage the Primary but not the Secondary.

Cannot access stack monitoring

Hi Andreas! I think you might be running into [Stack Monitoring] Missing remote_cluster_client role is reported as "access denied" · Issue #129546 · elastic/kibana · GitHub

Troubleshoot Kibana monitoring

It is stored in indices such as .monitoring-kibana-* and .monitoring-es-* or metrics-kibana.stack_monitoring.*, depending on which method is used to collect monitoring data. At a

Cluster switch cannot be added to SNMP monitoring

Cluster switch cannot be added to SNMP monitoring Last updated Save as PDF Views: 161 Visibility: Public Votes: 0 Category: fabric-interconnect-and-management-switches Specialty: hw

My SNMP sensors don't work. What can I do?

Make sure that the firmware of the monitored device runs at the latest version available! If an SNMP sensor (for example the SNMP Traffic sensor) does not receive any packets from the

Stack Monitoring Access Denied

Access Denied You are not authorized to access Monitoring. To use Monitoring, you need the privileges granted by both the kibana_admin and monitoring_user roles. If you are attempting to

I can connect to a switch, but cannot monitor with SNMP

I'd just like to be able to monitor this switch with SNMP as I do with all my other switches. No idea why just this specific one is giving me issues but unfortunately all of our switches are not

MS Switch Access Policies (802.1X)

MS Series switches fully support the IEEE 802.1X Standard. Configuring wired 802.1X authentication is often desired in public or communal areas to prevent unauthorized network access.

I can connect to a switch, but cannot monitor with SNMP

Before anybody asks, I have indeed enabled SNMP on the switch and set a public key so that it can be monitored. I can connect to the switch's HTTP interface at x.x.x.187 but when I ping it

What should I do if I cannot access the web

If HTTP function of the switch is disabled, the switch will not be accessible from the web browser. But you can still use the command line `ip http server` to enable

Troubleshooting SNMP

For most Linux hosts, all that is necessary for monitoring is for SNMP and NTP to be accessible from the collector machine. If you are not getting data

You are not authorized to access Monitoring. To use Monitoring, you ...

To use Monitoring, you need the privileges granted by both the `kibana_admin` and `monitoring_user` roles. If you are attempting to access a dedicated monitoring cluster, this might be

SNMP Doesn't Work! Can Somebody Out There Please

SNMP is the protocol you use to monitor your network? Good choice! However, it drives you crazy already while setting it up? Or have you finished

SNMPv3 and Switch Discovery

If the seed switch password exceeds 32 characters, it cannot be used for Auth and Priv passwords. In this scenario, you must use the manual SNMP configuration instead of the automatic SNMP

"You are not authorized to access Monitoring" after upgrade to 8.1.0

Hello, after upgrading my stack to version 8.1.0, I can't access the monitoring page on Kibana. I checked rights on my (local) account and it's OK. I also made a role with very large

Access Denied You are not authorized to access Monitoring

To use Monitoring, you need the privileges granted by both the `kibana_admin` and `monitoring_user` roles. If you are attempting to access a dedicated monitoring cluster, this might be

Cannot access switch via new management IP address

I am moving my switches to a management VLAN. I have a Catalyst 2950G-24 and after changing the Management VLAN I cannot access the switch on either the original IP or the new

Solved: Make Sure The MDT Monitoring Service Is

I found that when I tried to check the monitoring status of the deployments, I ran into the error "Unable to access to monitoring data service at

Fix SNMP Misconfiguration: Step-by-Step Guide

This guide will help you diagnose and fix SNMP misconfiguration issues, ensuring proper communication between network devices and monitoring tools. What

Error accessing elastic monitoring tab on kibana

Elastic StackKibana elastic-stack-monitoring lusynda (lusynda) March 24, 2022, 6:39pm 1 Hi all After upgraded my cluster to version 8.1 now i cannot access the tab stack monitoring anymore

Roles, permissions, and security in Azure Monitor

Built-in monitoring roles Azure role-based access control (Azure RBAC) provides built-in roles for monitoring that you can assign to users, groups, service principals, and managed identities.

What is Port Monitoring? Everything You Need to Know

Learn what port monitoring is, why it matters, and how it helps keep your network secure, stable, and online with real-time alerts.

Rancher Monitoring v2 Workshop: Comprehensive Guide

Accessing Prometheus For Prometheus, you can use the same method as above to access it via the Rancher UI. The service is called "rancher

Cluster switch cannot be added to SNMP monitoring

When trying to add cluster network switch to SNMP for monitoring the command gives error: ... The switch is pingable by the nodes in the cluster via Management interface: ... Switch is not

Solved: Make Sure The MDT Monitoring Service Is

Solve Make Sure The MDT Monitoring Service Is Running - Unable to access to monitoring data service at :9801/MDTMonitorData.

Tutorial Zabbix

Learn how to monitor a Cisco Switch using Zabbix and SNMP. Our tutorial will teach you all the steps required monitor a Cisco Switch using SNMPv2.

DNAC Assurance reports devices as unreachable

To verify IP connectivity with CLI credentials, click on the Device itself. In the Device page, Click on the "Run Commands". In the Command Runner

Cluster Switch not monitored due to IP address not reachable

Issue Node reports a health alert stating cluster switch IP address not being reachable. ... The cluster switch is not under monitoring by the Cluster Switch Health Monitor (CSHM): ... Unable to Ping the

SNMPv2/SNMPv3 is not working on my device

We've tried configuring SNMP on our device but the monitoring tool was not able to do SNMP walk on it. We've tried removing the access-list and just add the snmp config. Also tried re

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.buglerdental.co.za>

Email: sales@buglerdental.co.za

Phone: +27 71 549 2836

Address: 22 Impala Crescent, Waterfall Business Estate, Midrand, 1685, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

